

Output data

Here we show an example of usual data acquisition :

- Instantaneous fields
- Statistical fields
- Time series from probes located at specific positions

The various parameters related to each type of output data are originally splitted by topic in the appropriate namelist. For a sake of clarity, they are directly regrouped for each type of output data as shown here :

For instantaneous fields

```
&Field_Recording_Setup      Precision_On_Instantaneous_Fields= 2 /
!--- option value for writing results in double precision (1 = single
precision)

&Simulation_Management
  InstantaneousFields_RecordReset=.false. , !--- Reset to zero
the file number ID
  InstantaneousFields_TimeRecordingRate= 5.0E-01 , !--- Recording
rate in "time unit"
  InstantaneousFields_RecordStart= 1.D-00 , !--- Threshold
from which the recording begins (used with
InstantaneousFields_TimeRecordingRate only)
  ! InstantaneousFields_TimeIterationRecordingRate= 10 , !--- Recording
rate in "time-step iteration unit (number of time steps)"
  ! InstantaneousFields_StartTimeIterationRecording= 70 !--- Threshold
from which the recording starts (used with
InstantaneousFields_TimeIterationRecordingRate only)
/
&Instantaneous_Fields_Listing Name_of_Field = "U" / !--- Recording of
the first velocity component enabled
&Instantaneous_Fields_Listing Name_of_Field = "V" / !--- Recording of
the second velocity component enabled
&Instantaneous_Fields_Listing Name_of_Field = "W" / !--- Recording of
the Third velocity component disabled
&Instantaneous_Fields_Listing Name_of_Field = "T" / !--- Recording
Temperature enabled
&Instantaneous_Fields_Listing Name_of_Field = "P" / !--- Recording
Pressure enabled
```

For statistical fields

```
&Simulation_Management Start_Time_For_Statistics= 1.D+
!--- Start time for computing the statistical fields
                      Time_Range_Statistic_Calculation = 1.D+00 /
!--- time range over which the statistical field computation is performed.
When it has been covered, the results are recorded and a new statistical
```

```
computation starts again
&Field_Recording_Setup      Precision_On_Statistical_Fields= 2 ,
!--- option value for writing results in double precision (1 = single
precision)
                           Time_Statistics_Enabled= .true. ,
!--- time statistics are performed (true) - classical statistics (false)
                           Sample_Rate_For_Statistics= 1      ,
!--- Sample rate (in time iteration unit)
                           Statistic_Space_Average_Type=
"NO_SPACE_AVERAGE" / !--- option on spatial averaged fields
&Statistical_Fields_Listing Name_of_Field = "<U>" / !---- Averaged I-
velocity component
&Statistical_Fields_Listing Name_of_Field = "<V>" / !---- Averaged J-
velocity component
&Statistical_Fields_Listing Name_of_Field = "<P>" / !---- Averaged
pressure
```

For time-series from probes

```
U
, V      , W      , T      , P      , RHO
&Probe_Quantities_Enabled Temporal_Series_For_Quantity_Enabled(:)= .true.
, .true., .false., .false., .true., .false. / !--- Selection of
physical quantities
&Simulation_Management
   Probe_TimeIterationRecordingRate= 2 , !--- Recording rate in
"time-step iteration unit (number of time steps)"
   Probe_RecordingReset=.false. , !--- if True, Time series
are written in new files (with the same name), previous data are removed
   Probe_StartTimeIterationRecording= 20 !--- Threshold from which
the recording starts
/
&Probe_Location Xi= 2.0 , Xj= 1.5 , Xk= 0.0 / !---coordinates of
probe 1
&Probe_Location Xi= 3.0 , Xj= 1.0 , Xk= 0.0 / !---coordinates of
probe 2
```

Any information about these namelist are available here :

- [Simulation_Management](#)
- [Field_Recording_Setup](#)
- [Instantaneous_Fields_Listing](#)
- [Statistical_Fields_Listing](#)
- [Probe_Quantities_Enabled](#)
- [Probe_Location](#)



From:

<https://sunfluidh.lisn.upsaclay.fr/> - Documentation du code de simulation numérique SUNFLUIDH



Permanent link:

https://sunfluidh.lisn.upsaclay.fr/doku.php?id=sunfluidh:tuto1_outputdata&rev=1573656958

Last update: **2019/11/13 15:55**